

RACING RULES

3-15-73

NORTH AMERICAN SAILING ASSOCIATION

RACING RULES

1.0 GENERAL:

Aquarius yachts shall race under the rules of the North American Yacht Racing Union (NAYRU), except where the N.A.S.A. rules as specified herein, or the sponsoring yacht club's rules conflict.

2.0 HULL, CENTER BOARD, AND RUDDER:

- 2.1 The hull shall be stock, as manufactured by Coastal Recreation Inc. (CRI).
- 2.2 Center board trunk slot shall be opened at all times, no plug material shall be inserted for any reason.
- 2.3 Center boards and keels shall not be modified from CRI design, except fixed keels may be glassed.
- 2.4 Center board cable shall be in place at all times and be capable of raising or lowering the center board.
- 2.5 Details may be custom made, but shall meet all measurement specifications of CRI.
- 2.6 Coatings shall conform to current NAYRU rules.

3.0 SAILS:

- 3.1 Sail specifications shall meet N.A.S.A. charts for races as follows.
- 3.2 Main sail shall carry the AQUARIUS class symbol and registered sail number.
- 3.3 Main sail shall meet measurement specifications in class races (see main sail chart).
- 3.4 Battens must be measured and meet measurements of N.A.S.A. and conform to charted length.
- 3.5 Fore sails shall meet measurement specifications in class races. Race committee will notify the LEGAL fore sail prior to races (see headsail chart).

4.0 RIGGING, SPARS:

- 4.1 Mast and boom must be stock as supplied by CRI.
- 4.2 Mechanical assists for stability, including, but not limited to, hiking straps, boards, trapezes shall not be permitted.

5.0 REQUIRED SAFETY EQUIPMENT:

- 5.1 AQUARIUS yachts shall carry U.S. Coast Guard required safety equipment including fire extinguisher, horn, anchor, and one approved life preserver for each person aboard.

5.2 An auxiliary engine and fuel shall be carried during all N.A.S.A. class races and cruises.

6.0 CREW REQUIREMENTS:

- 6.1 A minimum crew of two shall be aboard at all times, skipper included.
- 6.2 Skipper shall be at least 14 years old.
- 6.3 Crew members shall be capable of assisting the skipper and sailing the yacht.

7.0 MEASUREMENT CERTIFICATE:

- 7.1 A measurement certificate must be aboard whenever competing in N.A.S.A. class competition.
- 7.2 A measurement certificate will be issued to any AQUARIUS yacht which meets the measurement and specifications of its class.
- 7.3 All sails shall be approved, stamped, and signed by a fleet measurer prior to competition.
- 7.4 Measurement certificates shall be issued by the fleet measurers after completion of a measurement work sheet. This sheet shall remain in the fleet measurer's records.
- 7.5 Any item that is covered in the class measurements and specifications that is replaced or reworked, shall suspend the validation of the measurement certificate until said item is remeasured by the fleet measurer.

A 23

Sail	LUFF	FOOT	LP	LEACH
Main	23'8"	10'3"		
Jib (lapper)	21'6"	11'2"	9'5"	18'3"
Genoa(150%)	22'3"	14'5"	12'10"	20'1"
Reacher	22'3"	16'11"		16'11"
Storm Jib	17'7"	8'8"		12'9"
Spinnaker	22'4"	15'5"		
J -	8'7"			

A 21

SAIL	LUFF	FOOT	LP	LEACH
Main	19'6"	10'0"		
Jib(lapper)	18'9"	9'11"	8'8"	16'2"
Genoa(150%)	19'6"	12'0"	10'9"	17'9"
Reacher	19'6"	13'9"		15'5"
Storm Jib	14'0"	7'3"		10'9"
Spinnaker	20'2"	13'0"		
J -	7'2"			