




Copyright Fairport Yachts Ltd.
Used by permission

27

SAILPLAN





- [C&C 27 Home](#)
- [Overview](#)
- [Evolution](#)
- [Sea Change – MkV](#)
- [Guide to Marks](#)
- [Black Arts](#)
- [The Fleet](#)
- [27 Tales](#)
- [History of C&C](#)
- [Info & Events](#)
- [Links & Contacts](#)
- [Join Us!](#)
- [Forum](#)

A Sea Change – The Arrival of C&C 27 Mark V


This page will host information – now in preparation – on the C&C 27 Mark V. We invite readers with information or memories about the C&C 27 and the sailing scene in the early 80's (as a sport and as a business) to submit their contributions. We're very interested in hearing about the factors that influenced C&C finally to drop the original 27 and to completely redesign and sell this boat in the form in which it appeared.

In the meantime, we have

- specifications;
- a [tuning guide](#) based on the C&C factory team's work; and
- pdf's of useful diagrams from the manual.


SPECIFICATIONS

LOA	26'6"
LWL	23'
Beam	9'3"
Draft Std./Shoal	4'10"/3'6"
Design displacement	4,420 lbs/5,080 lbs
Half load displacement	5000 lbs
Ballast	1715 lbs/2,075 lbs lead/antimony



Sail area	342.85 sq. ft. (100% foretriangle)
I	35'6"
J	10'1"
P	30'6"
E	10'9"
LP	15'7" (155%)
Largest standard jib	155%

Spinnaker luff length	34'2"
Engine	Yanmar 1GM Diesel (8 HP)
Standard 2-blade prop	12" x 9" x 7/8" RH
Optional folding prop	13" x 8" x 7/8" RH



Water tank	75.7 litres
Fuel tank	45.4 litres
Holding tank	22.7 litres (self-contained to version, marine head optional)
Standard stove	2-burner alcohol (propane optional)
Backstay breaking strength	6,300 lbs – recommended 1,600 lbs
Typical PHRF rating (Lake Ontario)	192 white sail, 174 spinnaker

Illustrations

- [Sail plan](#)
- [Deck gear layout](#)
- [Profile, deck & accommodation views](#) (the pictures on this page are in higher resolution)
- [Detail of the hull/deck joint](#)
- [Detail of the hull/keel Joint](#)
- [Mast & rigging arrangements](#)
- [Running & standing rigging specifications](#)
- [Rig dimensions](#) (includes all then-current C&C's)
- [Light bulbs](#)
- [Engine wiring diagram](#)
- [Hull wiring diagram](#)

