


# Freeport 136 by Islander

LOA	35' 9"
LWL	27' 6"
Beam	12' 0"
Draft	5' 3"
Displacement	17,000 lbs.
Ballast	6,300 lbs.
Vert. Clearance	53' 0"
Ballast/D	37%
D/L	.365
S/A/D	15.97
Sail Area	.660 sq. ft.
Main	.268 sq. ft.
100% Fore Δ	.392 sq. ft.
Power	Diesel
Fuel	.55 gallons
Water	.100 gallons
Designer	Robert Perry



## SPECIFICATION AND OPTION LIST

## CONSTRUCTION

MOSAIC

- Sound boosting in engine tool
- Multi-tier is sans-serif type
- Fuel tank — 25 gallon welded aluminum with deck lid
- Two-piece bronze propeller
- 1. stainless steel propeller shaft
- 1. stainless steel propeller shaft
- Embossed badge with sunburst badge
- Four meter, soft meter, fuel oil pressure and water
- Enclosed single instrument panel features a chronometer with
- Porthole 20 (AM Radio) radio water cooler & HP diesel

## ELECTRICAL

©НІМУЛ

A line drawing of a sailboat's deck and hull. A horizontal line, labeled 'J = 16.75', extends from the deck towards the stern. A vertical line is dropped from this point to the hull, indicating the position of the sail track. The deck features several rectangular hatches and a central mast step. The hull is dark, and the deck is light-colored.

NOTE: SOME ITEMS SHOWN MAY BE OPTIONAL

# Freeport 36

## SPECIFICATION AND OPTION LIST

### CONSTRUCTION

- Hull and deck are hand laminated reinforced fiberglass
- Colors are permanently molded into the hull and deck during the laminating process
- Non-skid surface is permanently molded into the deck
- The interior is modular construction using marine grade plywood. The modular components, floor timbers, engine beds, bulkheads and other structural members are bonded with fiberglass to the hull and deck where it is appropriate
- The keel ballast is internally fiberglass bonded in place
- The rudder is a high density foam blade with a stainless steel rudder post

### PROPELLION

- Pathfinder 50 (VW Rabbit) fresh water cooled 42 HP diesel
- Enclosed engine instrument panel features tachometer with hour meter, volt meter, fuel, oil pressure and water temperature gauges with audible warning system
- 1" stainless steel propeller shaft
- Two-blade bronze propeller
- Fuel tank — 55 gallon welded aluminum with deck fill
- Muffler is aqua-lift type
- Sound proofing in engine room

### ELECTRICAL

- Wiring — color coded
- Two heavy duty batteries with vapor proof switch
- D.C. electrical control panel featuring circuit breaker protected electrical system, battery monitoring volt meter located near chart table
- Engine room light
- A.C. system 110V with double pole main breaker and outlets conveniently located throughout
- Lighting system 12V
- Courtesy lights at cabin sole
- Ice box light
- Navigation lights 12V
- Anchor light on mast
- Combination steaming and deck light on mast
- Companionway light and switch independent of main D.C. electrical panel

### PLUMBING

- Two 50 gallon stainless steel water tanks located below cabin sole
- Hot and cold pressure water system with six gallon water heater
- Foot pump and faucet in galley for fresh water system
- Telephone type shower with hot and cold pressure faucet and curtain
- Bilge pump 15 gal/min. diaphragm type operated from cockpit

- Electric bilge pump with automatic float switch
- All thru-hulls and ball valves are Dupont Zytel to minimize electrolysis. All valves are clearly tagged
- Manual operated head with 17.5 gallon marine holding tank with manual pump for either deck or overboard discharge

### GENERAL INTERIOR

- Oiled teak bulkheads and joiner trim
- Teak and holly cabin sole in main salon and carpeted cabin sole in forward cabin
- Cedar lined hanging lockers
- Formica countertops
- Padded vinyl headliner zippers for access to deck hardware and wiring
- Grab rails on cabin trunk sides
- Deluxe fabric cushions
- Curtains on large windows in main salon

### INTERIOR "A"

#### FORWARD CABIN

- Privacy door to main salon
- V-berth filler cushion
- Three drawers and drop door below V-berth
- Hanging locker with louvered door

### HEAD COMPARTMENT

- Privacy curtain to separate head compartments
- Separate shower stall with drain and teak grating
- Telephone type shower with hot and cold faucet and curtain with teak bench
- Teak framed mirror
- Pullman with stainless steel sink with hot and cold faucet. Three drawers and locker with louver door below countertop. Outboard lockers with cane doors above countertop
- Towel bar
- Paper holder

### MAIN SALON

- Hanging locker forward on starboard side with louver door
- Table with hinged leaves and liquor locker that accommodates both settees
- Magazine rack on port bulkhead forward
- Port settee converts to double berth
- Book shelves and lockers with cane doors over both settees
- Chart table on starboard side with electrical control panel outboard. Four drawers below chart table
- Quarter berth on starboard side

### GALLEY

- Double stainless steel sink with hot and cold pressure faucet. Four drawers and two lockers with louver doors below countertop. Generous storage for all galley needs above and outboard of countertop with cane doors
- Foot pump and faucet
- Three-burner propane stove and oven with solenoid shut-off and safety valve
- Large 10 cubic foot insulated ice box with ventilated clear plastic shelves and light
- Pantry with louvered doors behind companionway ladder

## INTERIOR "B" FORWARD CABIN

- Deep his and her hanging lockers separated by a vanity with five drawers
- Queen berth port side enclosed by louvered doors. Two drawers and storage lockers with hinge down door below berth

## HEAD COMPARTMENT

- Telephone type shower with hot and cold faucet, curtain, teak grating and bench
- Pullman with stainless steel sink and hot and cold faucet. Four drawers and locker with louvered door below countertop
- Two lockers with cane doors separated by mirror above and outboard of countertop
- Large locker with louvered door
- Towel bar
- Paper holder

## MAIN SALON

- L-shaped dinette on port side
- Fold-a-way table with hinged leaves that will accommodate seating for starboard settee
- Starboard settee converts to double berth
- Chart table on starboard side with electrical control panel and a large shelf outboard for electronics. Shelves with louvered door below chart table
- Teak framed mirror in main salon

## GALLEY

- Double stainless steel sink with hot and cold pressure water faucet. Four drawers and two lockers with louvered doors below countertop. Generous storage for all galley needs above and outboard of countertop with cane doors
- Foot pump and faucet
- Three-burner propane stove and oven with solenoid shut-off and safety valve
- Large 10 cubic foot insulated ice box with ventilated clear plastic shelves and light
- Pantry with louvered doors behind companionway ladder

## DECK

- Anchor well
- Anchor roller
- Double rail bow and single stern rail pulpits with double lifelines, stanchions and boarding gates port and starboard
- Transom door that lowers for boarding
- Full length teak cap rails bolted through overlapping hull to deck joint
- Two bow and two stern mooring cleats with chocks
- Recessed inboard genoa tracks with lead blocks
- Mid-boom ball bearing adjustable mainsheet traveler
- Six screened opening ports
- Two Dorade ventilators
- Fiberglass sliding main hatch with molded-in sea hood
- Translucent forward cabin hatch
- Translucent hatch over berth (B Interior Only)
- Two translucent hatches over main salon
- Oiled teak exterior trim and handrails

- Pedestal steering with 36" stainless steel destroyer wheel, engine controls, brake, 5" compass and emergency tiller

## WINCH PACKAGE —

Choice of either Barent or Lewmar Package

	Barent	Lewmar
Jib Sheet	(2) 27ST-A	(2) 44ST-A
Main Sheet	10-A	8-A
Main Halyard	21-C	30-C
Jib Halyard	22-C	40-C
Winch Handle	(1) 10"	(1) 10"
Winch Handle Lock-In	(1) 10"	(1) 10"

## SPARS AND RIGGING

- Aluminum mast and boom with tunnel track
- Mast and boom have a baked-on painted finish for durability and appearance
- Mast head, winch pads, and fixed gooseneck are welded to mast
- Conduit tube for mast wiring
- Stainless steel tangs to receive T-bar type terminals
- Stainless steel standing rigging with swaged fittings
- Internal main and jib halyards with wire to rope splices
- Boom topping lift
- Mast winches, refer to Winch Package under Deck Category
- Anchor light
- Combination steaming and deck light
- Dacron main and jib sheets

## FREEPORT 36 OPTIONS

- Cockpit cushions to match deck color
- Pedestal guard with table
- Cockpit dodger with removable clear side curtains and roll up forward clear curtain
- Bimini top
- Teak cockpit grating
- Teak and holly sole in forward cabin in lieu of standard carpet
- Battery charger/converter to shore power
- Varnished interior/exterior
- Cradle (non returnable)

Qualifications: Specifications are based on current design information and are subject to change without notice including after receipt of customer's order, until final delivery. Manufacturers and model numbers of various components are used to define type, size and quality. Builder reserves the right to substitute essentially equivalent components.


Specification and option list effective October, 1980.



leading in performance and elegance  
**ISLANDER YACHTS**

208 210 302 306 316 336 340 341

1922 BARRANCA ROAD, IRVINE, CALIFORNIA 92714



leading in performance and elegance

# ISLANDER YACHTS

208 B130 312 316 F136 P140 F141  
1922 BARRANCA ROAD IRVINE CALIFORNIA 92714