



Specifications

LOA	34.0'
LWL	26.0'
Beam	11.2'
Draft	6.2'
Displ	8100#
Keel	3400#
RSAT	615 ft. ²
I	44.0'
J	12.6'
P	38.0'
E	12.0'
IOR	24.5'

J.
34



1
48



Specifications	
LOA	34.0'
LWL	28.0'
Beam	11.5'
Depth	6.0'
Displ	8100 lbs
Max	2400 lbs
Wght	6500 lbs
1	44.0'
2	15.0'
3	30.0'
4	18.0'
100	24.0'

Standard Equipment

\$55,000

White hull & deck, Lloyd's approved Contourkore end-grained aircraft grade balsa sandwich and unidirectional fiberglass construction, moulded in non-skid, waterline stripe, teak toe rails and interior handrails, black anodized gun-whale "T" track, lexan hatchboard with skylight main hatch & seahood, selfbailing cockpit, inside-outside opening foredeck hatch, two deck ventilators, 22½ h.p. Yanmar diesel auxiliary with Martec folding prop, teak main cabin with two settee berths, two position main berth backrests, teak & holly sole, choice of cushion fabric color, interior reading lights, navigation and galley counters, sink, 48 qt. cooler, full width laminated fiberglass main bulkheads, bonded & bolted hull-to-deck joint, two 90 amp batteries, lightning ground, bronze seacocks, 6 Barient winches with #28 primaries, Harken Hexacat mainsheet & vang systems, tapered triple spreader white aluminum racing spar with Navtec rod rigging & turnbuckles, 3 internal wire/rope headsail halyards, mainsail cunningham & outhaul car, internal reefing, outhaul & topping lift, Harken adjustable genoa blocks, 3 winch handles, spinnaker gear with mast track, foredeck & running light, navigation lights, Forespar ladder hiking stick, electrical control panel with 12 position switch/fuse panel, cockpit operated bilge pump, Harken rudder bearings.

Optional Equipment

Colors:

Two tone deck	\$400
Hull/Deck (x-white)	500
Cove Stripe	225
2nd Waterline Stripe	225
Hull Band	725
3rd Hull Color	200
Shipping Cradle	450
Gemini #8 Luff Groove System	400 ¹
Navtec Hydraulic Backstay Adjstr	915 ²
Aramid #80 7/16" Lazy Guys	280
Icebox in lieu of cooler	475

Forepeak Options: (select one)

(1) Complete Head Unit	\$2800 ³
(2) Platform & Flooring for Head	600
(3) Option (3) Plus Thru-Hull Ftgs	1000
Double Qtrberths, Shelves, Lts, Vent Pts	1000
Pipe Berths & Tackle	ea 250
40" Wheel, 5" Bn. Comp., Egcy Tiller	2260
Danforth 4" Bulkhead Compasses	ea 235
Man Overboard Pole Tube	350
110 Volt Shore Power	360
Origo 2 Burner Alcohol Stove	200

- Notes**
1. The Standard Boat does not include a jib luff groove system.
 2. The Standard Boat includes a #10 Navtec turnbuckle insert for the backstay.
 3. The Complete Head option includes main bulkhead door, head, holding tank, "Y" valve (overboard and holding) tank discharge, deck discharge, vanity cabinet, sink with cold shower flex hose, hanging locker, mirror, towel rack, and teak floor grate.

Dealer Options: Include instruments, sails, safety equipment, name graphics, freight and commissioning, and bottom paint.

Terms: Prices are FOB Warren, RI. All prices and specifications are subject to change without prior notice or obligation.