

newport 41-S



SPECIFICATIONS

L.O.A.	41'
L.W.L.	30'
Beam	11'3"
Draft	6'3"
Rated Sail Area	750 sq.ft.
J	J.17'
I	1.52'
Hull	Fiberglass
Spars	Aluminum
Ballast	8,215 lbs.
Displacement	18,000 lbs.
Headroom	6'3"
Berths	7
Auxiliary	Diesel
I.O.R. IIIA	est. 29.9

Some items shown are optional.

NEWPORT 41-S

Knowing what you are paying for is important

SPECIFICATIONS AND STANDARD EQUIPMENT

- 4-CYLINDER DIESEL (PERKINS 4-108)
- WHEEL STEERING, PEDESTAL CONTROLS
- BOW PULPIT WITH MID-RAIL
- STERN PULPIT WITH MID-RAIL
- DOUBLE LIFELINES AND STANCHIONS WITH GATES
- 3-BURNER STOVE WITH OVEN (ALCOHOL)
- MANUAL SHOWER
- 2 OPENING PORTS
- MANUAL BILGE PUMP, "Y" CONNECTOR TO ICE BOX
- CENTER MAINSHEET WITH ROLLER BEARING SLIDE CAR
- 3" FABRIC CUSHIONS AND V-BERTH DOOR
- TEAK AND HOLLY CABIN SOLE
- TEAK INSTRUMENT BOXES
- FOOT PUMPS IN GALLEY AND HEAD
- TEAK HANDRAILS
- 2 SNATCH BLOCKS
- 2 WATER TANKS, 1 PORT, 1 STARBOARD
- ELECTRICAL SYSTEM, CABIN AND RUNNING LIGHTS
- TAPERED MAST
- DOUBLE SPINNAKER BAILS
- DOUBLE TACK PINS
- TEAK WINCH PADS, FULL LENGTH
- AUXILIARY TILLER
- SLEEPS 7, 2 DOUBLES, 3 SINGLES
- OWNER'S MANUAL

DESIGNER: C & C Design Group.

HULL: 100% hand-layup fiberglass reinforced hull with core sections, cast lead ballast, finest gel coat colors available with cove and boot stripe (choice of colors). One piece glass covered, high density polyurethane foam spade rudder. 3" stainless steel rudder shaft. Flush thru-hull fittings. One piece molded inner hull liner.

DECK AND COCKPIT: 100% hand-layup reinforced fiberglass plywood and core deck. Non-skid molded in. Four large fixed windows. Two translucent teak hatches. Wheel steering with molded in port and starboard helmsman's seats, located in secondary after cockpit. Two large molded in cockpit hatches. Complete instrument panel with engine gauges. Auxiliary tiller with stainless tillerhead bearing plate and grease fitting. Main companionway teak hatch—one piece on tracks. Six deck and cockpit scuppers through four non-corrosive gate valves. 14' solid teak handrails. All wood facings and eyebrows solid teak. Teak winch pads full length of cockpit.

DECK HARDWARE: 80' of hard black anodized toe rail with two custom transom caps for spinnaker blocks and custom bow plate for recessed running lights and double tack pins. Two deluxe snatch blocks, mid boom mainsheet traveler with adjustable stops and roller bearing slide car. Four black anodized mooring cleats. Black inside sheet tracks optional. Eight stainless steel polished chainplates. Double rail bow pulpit, double rail stern pulpit. Double life lines and stanchions with gates. Manual bilge pump with "Y" connector to ice box.

RIGGING: Aluminum tapered mast with main and jib halyards. Aluminum boom with fixed stainless gooseneck and wireouthaul set up. Stainless standing rigging with stainless turnbuckles. Double spinnaker bails. Stainless vinyl coated boom topping lift. Double aluminum airfoil spreaders. Stainless tie rod connecting mast collar to mast step.

AUXILIARY ENGINE: 4-cylinder diesel with 1 1/8" sea loy shaft with zinc collar and two bladed sailor prop. Pedestal controls mounted in helmsman's after cockpit with engine instruments. Ventilation system Coast Guard approved with exhaust blower. Custom engine alignment with adjustable rubber mounts. Top, front and side access for easy maintenance. Electric primer pump with fuel filter.

ELECTRICAL: 12 volt 40 amp engine alternator. One 12 volt battery with support box. Personalized engraved master control panel with spare switch blanks and hinged for easy access. Master safety shut-off switch. Interior 12 volt lights mounted throughout. Running lights with bow light on mast. Instrument boxes—teak with doors port and starboard for bulkhead mounted cockpit instruments.

WATER AND FUEL TANKS: Two stainless steel baffled water tanks, approx. 75 gallon total capacity with water deck fills and separate shut-off valves. Aluminum baffled fuel tank, 36 gallon capacity with deck fuel fill and fuel line shut-off valve.


MAIN CABIN: Large navigator's area with 7' quarter berth behind and oil skin locker underneath with paneled teak door. Two double sleeping quarters in main cabin with starboard pilot berth optional. Large storage areas under sleeping quarters. Shelf storage port and starboard with solid teak trimming. Two way dinnette area with drop table. Stowable in up or down position. Double hanging lockers with paneled doors on starboard side opposite head compartment. 3" fabric covered cushions on all seven adult berths, your choice of colors. Fabric door to close off V-berth. Large main cabin opening hatch with solid teak frame and translucent top for light and ventilation. Solid teak planking on port and starboard hull sides. Teak and holly cabin sole.

GALLEY: Large galley aft port side. Deep stainless sink with foot pump drains to thru-hull with anti-corrosive gate valve. 11 cubic foot insulated ice box with teak grate and hinged access lids. Formica covered countertops. Large serving island with two bread boards and deep storage bins and drawer storage underneath. Pan storage with door below sink. Stove compartment with three burner stove with oven. Formica stove top cover optional. Teak framed dish and food storage compartment, outboard of the galley with sliding panels. Trash container discharges through cockpit hatch.

HEAD COMPARTMENT: Extra large head compartment with molded in shower pan and drain fittings with manual shower and footpump. Wood head door with solid teak frame. Teak sink cabinet and formica vanity top with sliding panel doors. Stainless steel sink and foot pump with storage underneath. Non-corrosive opening port for ventilator. Head is optional due to varying ecology standards.

FORWARD STATEROOM: Large double berth with combination storage and sail locker underneath. Private starboard hanging locker with vanity seat. Large 3 drawer vanity storage cabinet port side. Chain locker forward with hinged door. Forward hatch with translucent top and teak frame for light and ventilation. Opening port and starboard shelf above berth with teak sea railings.

CAPITAL YACHTS has a policy of continuous improvement on its products and reserves the right to change materials, specifications & prices without notice after receipt of customer's order, until final delivery to the customer.



CAPITAL YACHTS, INC.
NEWPORT • NEPTUNE • GULF
25914 PRESIDENT AVENUE
HARBOR CITY, CALIF. 90710
(213) 530-1311

newport 41-S

SUGGESTED PRICE LIST & ORDER FORM

HULL _____ DECK _____

TWO TONE _____ BOOT TOP _____ SHEER STRIPE _____

STANDARD BOAT..... \$44,995.00

_____ C-1	Anodized Mast & Boom.....	895.00	_____ C-16	Hull Color (Other than White).....	250.00
_____ C-2	Battery-Extra 70 Amp.....	95.00	_____ C-17	Inboard Genoa Tracks W/ Slide Cars (No Blocks).....	260.00
_____ C-3	Bilge Pump-Electric.....	150.00	_____ C-18	Insulated Backstay.....	.85.00
_____ C-4	Boom-Deluxe W/Internal Outhaul & Roller Slide, Exchange.....	150.00	_____ C-19	Knotmeter.....	235.00
_____ C-5	Boom Vang.....	125.00	_____ C-20	Lightning Ground.....	.95.00
_____ C-6	Bottom Paint: RED _____ BLUE _____	250.00	_____ C-21	Masthead Light.....	.95.00
_____ C-7	Carpeting-Shag.....	165.00	_____ C-22	Martec Propeller.....	295.00
_____ C-8	Coaming Compts. & Drink Holders	110.00	_____ C-23	Pressure Water.....	250.00
_____ C-9	Cockpit Cushions.....	195.00	_____ C-24	Pilot Berth W/3 Individual Lockers Under.....	295.00
	COLOR _____		_____ C-25	Radio Ground.....	.95.00
	Cushions-3" Fabric.....	Std.	_____ C-26	Reaching Strut-2 Padeyes on Mast, Teak Chocks.....	160.00
	COLOR _____		_____ C-27	Saltwater Pump in Galley w/foot pump.....	150.00
_____ C-10	Cushions-4" Fabric.....	150.00	_____ C-28	Shorepower System.....	225.00
	COLOR _____		_____ C-29	Spinnaker Gear Complete.....	835.00
_____ C-11	Curtains	160.00	_____ C-30	Spinnaker Gear-Partial: Track & Car on Mast, Top. Lift Bail & Spinn. Bail.....	250.00
	COLOR _____		_____ C-31	Spreader Lights.....	.85.00
_____ C-12	Compass & Guard (For Wheel Steering).....	700.00	_____ C-32	Two Tone Deck.....	150.00
_____ C-13	Cradle (No Refund).....	600.00	_____ C-33	Turning Blocks W/Bases pair.....	.450.00
_____ C-14	Head W/Valves-Deluxe.....	295.00	_____ C-34	Vents-6" Cowl, each.....	.50.00
_____ C-15	Head W/Tank-Dockside Discharge & Thru-Hull Discharge W/Pump.....	450.00			

•FOR SPECIAL OPTIONS SUCH AS INTERNAL HALYARDS & DELUXE MAST COLLAR, HOT & COLD RUNNING WATER, ADDITIONAL INTERIOR APPOINTMENTS ETC., CONSULT FACTORY.

SPECIAL INSTRUCTIONS:

DEALER _____ ADDRESS _____

DEPOSIT \$ _____ DATE _____ HULL # _____

CUSTOMER _____ ADDRESS _____ PHONE _____

SALESMAN _____ DEALER SIGNATURE _____

DELIVERY DATE _____

