



44

CENTER  
COCKPIT

**RIG DIMENSIONS**

I .....	46.13'
J .....	17.55'
P .....	52.39'
E .....	16.31'
Sail Area (100%) .....	832 sq.ft.

HULL: Bruce FARR  
STYLING: Armel BRIAND

**SPECIFICATIONS**

L.O.A .....	44.62'
L.W.L .....	36.75'
Beam .....	14.00'
Displacement .....	20,944 lbs.
Ballast .....	6,835 lbs.

# SPECIFICATIONS

Includes all standard equipment listed below, F.O.B. East Coast P.O.E.

## ON DECK

18/12 Stainless steel stemhead fitting with 2 tilting rollers  
 Open 18/12 stainless steel pulpit  
 Leroy Sommer 1000W electric windlass with up/down control  
 Self-bailing anchor well with twin opening hatches and eye bolt for mooring line  
 Bulwark surrounding the deck with teak cap  
 (8) anodized aluminum mooring cleats: 2 forward, 2 midships, 4 aft  
 Forestay chainplate with slats on the stemhead fitting  
 (1) chromed bronze lower shroud chainplate, 2 BENETEAU streamlined chromed bronze shroud chainplates  
 Anodized aluminum identified fuel and water fillers  
 18/12 stainless steel stanchions with two sets of covered stainless steel lifelines  
 Lateral opening lifelines  
 (4) teak handrails on coachroof  
 (4) dorade vents  
 (2) 18/12 stainless steel guards protecting forward vents  
 Forward cockpit coaming for windscreens, rigid top or sprayhood  
 (2) genoa sheet tracks with adjustable cars  
 (2) genoa sheet turning blocks  
 Mainsheet track with adjustable car  
 (1) Lewmar Electric 40 EST halyard and maneuvering winch  
 (4) Spinlock XL double stoppers for halyards and maneuvering lines  
 (2) Lewmar 54C STO genoa sheet winches  
 (1) Lewmar 40 C STO mainsheet winch  
 Central cockpit  
 Hydraulic steering wheel pedestal mounted or on forward port cockpit bulkhead  
 Engine control on pedestal or bulkhead  
 (2) boxes for winch handles  
 (2) chromed bronze winch handles  
 (2) sidedeck lockers (one for propane bottle)  
 (2) lockers for mooring lines and fenders on transom  
 Fixing points on aft coachroof for liferaft  
 (2) 18/12 s/s pushpit with 2 teak seats, closed by sheathed lifelines  
 Emergency tiller  
 Transom with teak slatted skirt  
 Teak slatted step in transom  
 Folding 18/12 s/s swim ladder with

wooden steps  
 Cockpit shower  
 Teak rubbing strake either side of hull  
 Cockpit table  
 Cockpit cushions

## SPARS / RIGGING

Keel stepped mast and anodised aluminum boom (white)  
 Mast with main furling system  
 (2) sets of spreaders angled aft 18 degrees  
 Spinnaker pole track  
 Partner fitting with articulated blocks for returning halyards to cockpit

## STANDING RIGGING

Stainless steel rigging: upper shrouds, lower shrouds, 2 backstays  
 Twin groove forestay with Profurl genoa furler  
 Lateral rigging with discontinuous rigging to first set of spreaders

## RUNNING RIGGING

(1) main halyard, 1 genoa halyard  
 (1) mainsheet with blocks, 2 genoa sheets  
 (1) maneuvering line for genoa furler  
 (1) line for furling main, 1 line for unfurling main  
 (1) boom halyard  
 (1) rigid boom vang

## SAILS

Furling Dacron main  
 Furling Dacron genoa with anti-UV protection strip

## INTERIOR ACCOMMODATION:

Cherry Interior

## COMPANIONWAY

15 mm Altuglass sliding hatch  
 Twin wooden companionway doors  
 (2) cherry wood stained handrails  
 (4) molded wooden steps with anti-skid strip, on polyester engine cover  
 Hanging locker to starboard of companionway

## SALON

**STARBOARD:**  
 Nav. Station  
 Chart table with chart stowage and molded wood fiddle  
 Bookshelves  
 Lockers  
 12V, 16 functions hinged Electrical panel  
 Hinged panel for on-board

electronics  
 Large tool drawer

Drawers  
 Seat  
 Opening 15" x 8" porthole in coaming with curtain  
 Halogen lamp with independent switch  
 Red watch light

## SALON AREA:

Settee  
 Lockers along hull sides  
 Wood hull lining  
 Reading lights  
 Fixed 6'7" x 8" porthole with curtain  
 Vent  
 Stereo system (AM/FM, CD, Cassette)

## PORT:

Raised deck salon for panoramic visibility  
 "U"-shaped settee with cushions with 5.5" thick, medium density foam and backrests  
 Cherrywood stained salon table with stainless steel base  
 Lockers and cupboards along hull sides  
 Wood hull lining  
 Lockers underneath settee  
 Halogen lighting with independent switch  
 Fixed porthole 6'7" x 8" with curtain  
 Opening plexiglass panel in coachroof 23" x 23" with curtain  
 Padded deckhead lining  
 Bookcase/bar

## GALLEY IN STARBOARD GANGWAY

Laminated work surface with molded wood fiddle  
 Twin rectangular s/s sinks  
 Chopping board over sink  
 Hot/cold water mixer tap  
 Salt/fresh water foot pump  
 Foot pump for icebox discharge  
 Trash bin  
 (3) sliding vegetable baskets  
 Gimbaled Oven with 3 burners and s/s protection bar  
 Exhaust fan  
 12V microwave oven  
 Cutlery drawer  
 (2) hanging lockers to port, lockers along the side of hull  
 12V 8 cubic ft. refrigerator, access from the top (2 compartments, & compressors)  
 (2) opening portholes 15" x 8" in coaming with curtains  
 Lighting by halogen lamps with independent switches and fluorescent tube

# OCEANIS 44 CENTER COCKPIT

Dust box  
Sites for dishwasher and washing machine

## FORWARD STARBOARD HEAD

One piece molded compartment for waterproofing and easy maintenance

Marine toilet with polyester lid

Bathroom accessories

Wash basin with hot/cold mixer tap

Shower

Mirror, cupboard

Electric pump for discharge of water

Opening porthole in coaming 15" x 8"

Fluorescent tube lighting

## AFT OWNER'S CABIN

Central double bed 6'7" x 4'11", 4.7" thick mattress

Leeboard in middle of bed

(2) symmetrical hanging lockers

Stowage space/lockers along side of hull to port and starboard

Lockers

(2) steps either side of the bed for easy access

Armchair to starboard

Dressing table/bureau with mirror

Wood hull lining

(2) opening portholes 15" x 8" in coaming with curtains

(1) opening porthole 15" x 8" in transom with curtain

(1) opening porthole in aft coaming 27" x 8" with curtain

(1) plexiglass deck panel in aft coachroof 23" x 23" with curtain

(2) vents

Lighting from halogen lights with independent switches and reading lights

## AFT OWNER'S CABIN HEAD

Compartment molded in one piece to be waterproof and easy to clean

Marine toilet with polyester lid

Bathroom accessories

S/S wash basin with hot/cold water mixer tap

Mirror

Cupboards/shelves

Bath/Shower 3.5 cubic ft. capacity with hot/cold water mixer tap

Electric pump for used water

(2) opening portholes in coaming 15" x 8"

Halogen lamp with fluorescent tube

## VERSION WITH 2 FORWARD CABINS

### FORWARD GUEST CABINS

6'7" x 4'11" double bed, 4.7" thick mattress

Drawer and locker under bed

Hanging locker

Wood hull lining

Padded deckhead lining (1) opening plexiglass panel 23" x 18" in deckhead with curtain

(1) opening porthole in coaming 13" x 7" with curtain

Halogen lamps with independent switches and reading lights

and Choice of:

### FORWARD PORTSIDE CABIN

(2) bunks 6'7" x 2'8", 4" thick mattress

Hanging locker

Stowage space beneath lower bunk

Wood hull lining

Padded deckhead lining (1) opening porthole in coaming 15" x 8" with curtain

(1) opening porthole in coaming 13" x 7" with curtain

Halogen lamps with independent switches and 2 reading lights

or

### FORWARD PORTSIDE WORKSHOP/UTILITY ROOM

Workbench or room for dryer

Tool drawer, lockers or hanging locker

Padded hull lining

Padded deckhead lining

(1) opening porthole in coaming 15" x 8"

Fluorescent tube lighting

## SINGLE FORWARD CABIN VERSION

### FORWARD OWNER'S CABIN

6'7" x 4'11" double bed, 4.7" thick mattress

Drawer and lockers beneath bed

Hanging locker

Wood hull lining

Padded deckhead lining (1) opening porthole in coaming 23" x 18" with curtain

(1) opening porthole in coaming 13" x 7" with curtain

Halogen lamps with independent switches and reading lights

(1) dressing table with mirror and shelves

## ENGINE COMPARTMENT

Engine (60-85 HP) depending on model selected

Single lever engine control  
Engine chassis integral with hull liner

Engine control panel in cockpit  
Engine compartment insulated by lead foam

Space for generator in engine compartment

100 gal. fuel tank

Fuel/water filter on fuel circuit  
Stainless steel shaft protected by skeg

Triple bladed prop

## ELECTRICAL CIRCUIT

12V Electrical circuit  
(2) 125 amp batteries for service with circuit breaker

(1) 125 amp engine battery with circuit breaker

110V/220V 40 Amp H battery charger

12V 16 function Electrical panel with 12V plug

Options conduits

Lighting from halogen deckhead lights, reading lights and fluorescent tubes

Cockpit lighting

Navigation lights

Masthead light

Deck spot

110V/220V Electrical circuit  
110V/220V shore power plug (specify when ordering)

Electrical panel 110V/220V (specify when ordering)

(5) 110V/220V sockets (specify when ordering)

## WATER CIRCUIT

Manual bilge pump

Electric bilge pump

160 gal. fresh water capacity in 2 rigid tanks integral with hull

Cocks for tank selection

10 gal. water heater run off engine and shore power

Pressurized fresh water unit with compression tank

(2) electric discharge pumps for showers

## PROPANE CIRCUIT

Box for propane bottles (2 bottles) in side lockers with air vent (conforming to US regulations)

Stainless steel gimballed oven with 3 burner hob

Circuit breaker

## MISCELLANEOUS

Certificate of Individual Bureau

Veritas approval


Maintenance kit

Owner's manual

Owner's briefcase

# OCEANIS 44 CENTER COCKPT

INTERIOR LAYOUT  
SINGLE FORWARD VERSION



The manufacturer reserves the  
right to change price and  
specifications without notice.



## BENETEAU



BENETEAU USA INC. 8720 RED OAK BOULEVARD SUITE 102 CHARLOTTE, NC 28217 FAX (704) 527-0760 PHONE (704) 527-8244