

510



RIG DIMENSIONS

I	59.55'
J	18.70'
P	51.60'
E	20.66'
Sail Area (with 100% Δ)	1090 sq. ft.

SPECIFICATIONS

L.O.A.	50'3"
L.W.L.	44'6"
Beam	15'7"
Draft	6'0"
Displacement	30,860 lbs. approx.
Ballast	10,800 lbs. approx.

Includes all standard equipment listed below, F.O.B. East Coast or Marion, S.C.

DECK FITTINGS:

Stainless steel pulpit with running lights
Stainless steel opening stern pulpit with horse
shoe life buoy bracket
Stainless steel stanchions, double lifelines and
lateral opening gates
Anodized aluminum toerail, fairleads with
built-in-rollers amidships
6 mooring cleats
Stainless steel stemhead fitting with tilting
anchor roller
Self bailing chain locker with 1500W. electric
windlass
Stern anchor locker with stern anchor roller
2x4 sheave deck turning blocks
2 Lewmar 40 ST winches for halyards, mainsail
sheet and main furling line
9 halyard deck stoppers
Mainsail track on cabin top with adjustable ball
bearing car
12 volt outlet
2 Lewmar 65 ST winches for genoa sheets
2 genoa tracks with adjustable cars
2 genoa sheet turning blocks
2 cleats for genoa sheets
1 Lewmar 30 ST winch for furling line
1 furling line deck block with stopper
Cap shrouds and lower shrouds chainplates
Forward lower shrouds chainplates
Dorade with S/S protector (2)
2 winch handle boxes
1 cockpit locker with aluminum frame
1 cockpit table
2 steering wheels (diam. 900mm), leather
covered
Liferaft locker
Sail locker
Vented gas bottle locker
Opening bathing platform in transom with
ladder
Outboard engine bracket

RICING

Internal main roller furling mast, 2 sets spreaders,
internal halyards, steaming light, anchor light,
deck light
Main boom with track
Discontinuous rod standing rigging with
turnbuckles
Roller furling genoa system (profurl)
Main halyard, genoa halyard
Furling lines
Main sheet, genoa sheets
Mainsail boom vang (led back to cockpit)

INSIDE ACCOMMODATIONS

Varnished teak interior

CREW'S QUARTERS

1 berth
Lockers
Marine toilet
Washbasin with hot and cold pressurized water
Ladder with grabrail
Deck hatch (600x600)
1 fluorescent light
1 ceiling light

FIRST VERSION:

FORWARD OWNER'S CABIN

1 double berth
2x53 gal. water tanks under berth
1 settee
Overhead lockers
1 dressing table

2 hanging lockers

2 drawers under berth
1 mirror
2 deck hatches (370x500) with blind
2 portholes
Ventilation through dorade ventilation box
Halogen spot light
2 reading lights

FORWARD OWNER'S HEAD COMPARTMENT

Watertight hull liner
Lockers
S/S wash basin
Hot/cold water faucet
S/S grab rail
Mirror
Marine toilet
Stall-shower with hot/cold pressurized water
Electrical sump pump for shower drain
Teak grating
Porthole
Ventilation through dorade
2 fluorescent lights

SECOND VERSION:

2 IDENTICAL FORWARD CABINS

Double berth
2x53 gal. water tanks under berth
Overhead lockers
1 hanging locker
1 drawer
1 deck hatch (370x500) with blind
Porthole
Ventilation through dorade
Spot lights
2 reading lights

2 IDENTICAL HEAD COMPARTMENTS

Watertight hull liner
Lockers
S/S wash basin
Shower with hot/cold pressurized water
S/S wash basin
Mirror
Marine toilet
Teak grating
Electrical sump pump for shower drain
Porthole
Ventilation through dorade
2 fluorescent lights

SALON

U shape settee with cushions
Central settee
Stowage
Bottle rack
Lockers
Mirror
Deck hatch (500x500) with blind
Skylight (900x700) with external blind
2 Opening portholes on hull
Hand rails
Spot lights
2 reading lights

Galley

2 S/S sinks with hot/cold pressurized water
Gimballed stove with oven and crash bar
Electrical fridge (5.30 cu. ft.)
Ice box (5.30 cu. ft.) with lateral opening
Galley storage lockers
Dustbin

Opening porthole on hull with blind
Opening porthole on coach house coaming
with blind
Hand rail
2 fluorescent lights
Rigid water tanks under floor (2x85 gal.)

NAVIGATION STATION

Chart table with chart locker
Table drawer
3 baskets under table
1 locker
Navigator's seat
Instruments panel
Bookrack
Electrical panel with 24 functions
Opening porthole with blind
Reading lamp
Fluorescent light

2 IDENTICAL AFT HEADS:

Water tight hull liner
S/S wash basin
Hot/cold pressurized water with hot/cold
water faucet
S/S grab rail
Mirror
Stowing space
Marine toilet
Teak grating
Electrical sump pump for shower drain
Porthole
2 fluorescent lights
Shower
Shower curtain
Oilskins locker

2 IDENTICAL AFT CABINS

Double berth
Stowing space under berth
Drawers
Hanging lockers
Lockers
Deck hatch (320x450) with blind
Opening porthole on hull
Opening porthole on cockpit
Spotlights
2 reading lights

ELECTRICS

12V / 110V inverter
3x160 amp. batteries
Shorepower with 40 amp. battery charger

ENGINE

Perkins dsl. 4236 (80 HP)
Insulating foam
Controls in cockpit
Fuel capacity: 2x74 gal.

MISCELLANEOUS

Winch handles
Owner's manual
Spares kit
Shipping cradle
Prefitting of auto pilot support


10 YEAR LIMITED HULL AND DECK WARRANTY

The manufacturer reserves the
right to change price and
specifications without notice

OCEANIS 510

Designer Philippe Briand
Berths 8/12 persons

DECK LAYOUT



The manufacturer reserves the right to change price and specifications without notice




Bureau Veritas
individual approval
Certificate N° (pending)


BENETEAU

OCEANIS 510


INTERIOR
LAYOUT



Owners Fwd Cabin
2 Aft Cabins



2 Fwd Cabins
2 Aft Cabins



2 Fwd Cabins
2 Aft Cabins