







SABRE 30 III SAIL PLAN

SABRE 30 III SPECIFICATIONS

LOA	30'-7"
LWL	25'-6"
Beam	10'-6"
Draft - Keel	5'-3"
Shoal	4'-0"
Displacement	
Keel	9400 lbs.
Shoal	9600 lbs.
Ballast	
Keel	3800 lbs.
Shoal	4000 lbs.
Total Sail Area	462 sq. ft.
Rig Dim: P	36.58'
E	11.33'
I	41.50'
J	12.23'
Spinnaker Area	905 sq. ft.
Cockpit Length	6'-9"
Headroom	6'-1"
Mast Ht. from W.L.	46'-6"
Westerbeke Aux.	18 Hp
Cylinders	3
Fresh Water Cooled	Yes
Self-Bleeding	Yes
Fuel Tank	20 gallons
Water Tanks	47 gallons
Holding Tanks	30 gallons
Batteries - #/Amps	2/ 85
Berths- #/Size	6/ 6'-4"
Winch size - Main Halyard	8c
Jib Hlyd	16c
Main Sheet	8c
Primary	40c
Secondary	16c
Spin. Hlyd	8c
Hatches	3
Dorades	4
Opening Ports	2 std.
Hull Speed	6.8 knots



SABRE 30 III INTERIOR



SABRE 30 III DECK