



Sea Spray

COMPETITION

15 FOOT CLASS A CATAMARAN

1968 CLASS A WORLD MULTIHULL CHAMPION

1969 AEROSPACE CHALLENGE TROPHY

1970 PACIFIC MULTIHULL ONE-OF-A-KIND CLASS A CHAMPION

**FAMILY
SAILING**



The Designer Comments:

I wanted to develop a catamaran with outstanding racing performance, and still capable of carrying my whole family for day sailing. Above all I wanted a boat maneuverable in the hands of a complete novice. With the aid of the jib the SEA SPRAY tacks as easily as a mono-hull. A new sailor develops confidence immediately.




The SEA SPRAY is easy to lift onto a car and can be legally carried on a compact car.

The design emphasizes lightness, both for ease in transporting and handling out of the water, and for racing performance and maneuverability in the water. The hull design was optimized by computer. The boat is rugged. Construction is of maintenance-free fiberglass and corrosion-proof metalwork. Dual flotation tanks and a sealed-tube mast provide unsinkable safety and single handed righting in case of capsizing.



The SEA SPRAY trailer is easy to tow with a sports car.



Even an
8 year old
can help
you carry
your
SEA SPRAY

I continue to use my SEA SPRAY for family fun and to win the big A Class races. You need sail it only once to be convinced that it uniquely achieves the goals I had in mind.

Allan Arnold



NOTE THESE UNIQUE SEA SPRAY FEATURES

- VERY LIGHTWEIGHT: 150 lbs. for high performance in the water and easy handling out of the water.
- INEXPENSIVE.
- STRONG AND MAINTENANCE FREE: Built of fiberglass and anodized aluminum. The design, materials, and workmanship permit Gen-Mar, Inc. to give a two year guarantee on hulls for normal use.
- COMPACT: Can be transported assembled on top of a car and is readily trailerable.
- EASY TO DISASSEMBLE: Can be taken apart for storage in a space approx. 2' x 2' x 19'.
- TWO STYLES AVAILABLE: (1) The regular SEA SPRAY with a sleeve sail, which is especially convenient when the catamaran is regularly transported, and (2) the SEA SPRAY 70 with a Halyard Sail and Semi-Wing Mast when the mast is to be left up and the boat left in the water.
- A PROVEN CLASS A WINNER: With a Portsmouth Rating of 80.
- A SIMPLE-TO-OPERATE BOAT: For family fun.
- A RAPIDLY EXPANDING CLASS: In the U. S. and Canada you will find stiff competition. Each SEA SPRAY is accompanied by an Official Class Certificate.
- EASY TO SAIL: The jib facilitates tacking.
- SAFE: Sufficient buoyancy in the hulls to carry 4 people. Even with both hulls filled with water, 300 lbs. of flotation remain. (Sometimes people forget to screw in the drain plugs.)



- FAST: Speeds of 17 k have been reached on flat water, and even higher speeds are attainable in special surfing conditions.
- SHALLOW DRAFT WITH TIP-UP RUDDERS: With the easy-adjust dagger boards raised, draft is only 6".
- EASILY RIGHTED: The SEA SPRAY can be righted by one person without any special equipment or lines, even under the most adverse conditions: i.e. heavy seas, high winds, boat completely upside down.



SPECIFICATIONS

Length	15'
Beam	6'5"
Sails (Dacron)		
Main95 sq. ft.
Jib30 sq. ft.
Mast Height	20'
Weight		
Fully rigged	150 lbs.
Hulls assembled	110 lbs.
Maximum load capacity	1200 lbs.
Positive Flotation	300 lbs.
Trampoline	Vinyl coated nylon
Hulls	Fiberglass
Kick up rudders and dagger boards	Fiberglass
Aluminum parts	Anodized
PRICE COMPLETE		
SEA SPRAY (sleeve sail)	\$ 995.00
SEA SPRAY 70 (halyard sail)	\$1095.00
TRAILER	\$ 195.00

Prices FOB Hermosa Beach, Calif.

All prices subject to change without notice

STANDARD EQUIPMENT

Dacron mainsail and jib, with battens
Kickup rudders
Daggerboards
3/8" braided Dacron main and jib sheets
Adjustable jib cleats
Main sheet jam cleat
Boom vang
Adjustable outhaul
Stainless steel blocks
Full width tiller extension
Hiking straps
Stainless steel rigging
Anodized aluminum spars and crossbeams
All castings black anodized
Non-skid decks
A choice of colors

SEA SPRAY

a product of

GEN-MAR, INC.

GEN-MAR, INC.

717 Valley Drive
Hermosa Beach, Calif. 90254
Phone (213) 376-3313